

ALL PURPOSE CITRUS CLEANER, DEGREASER AND ADHESIVE REMOVER

TECHNICAL DATA SHEET

PRODUCT DESCRIPTION:

ITW STA'-PUT® S203 All Purposed Aerosol Spray Cleaner is a biodegradable, natural solvent cleaner, degreaser and adhesive remover. It can be used safely on most surfaces and substrates, including painted surfaces, glass, porcelain, concrete, and is compatible with many plastics and vinyls. S203 All Purpose Aerosol Spray Cleaner is safer to use than most cleaners and adhesive removers and residue can be removed with water. It has exceptional cleaning/ degreasing power; s non-corrosive, is biodegradable and has a pleasant citrus scent.

ADVANTAGE:

- Biodegradable
- Excellent cleaning power
- Safe on a wide variety of substrates
- Non-corrosive
- Pleasant Citrus Scent

TYPICAL PROPERTIES:

Property	Typical Value
Solvent:	Hydrocarbon Solvent, d-Limonene*
Shelf Life:	1 year from Date of Manufacture**
Color:	Clear
Flash Point:	-156°F (-104°C)
Weight / Gallon	6.12 lbs./ gallon
VOC Content	734.0 g/L (EPA Method 24)
Formaldehyde	No urea formaldehyde added during adhesive manufacturing

^{*} Reports have associated repeated and prolonged occupational exposure to solvents with permanent brain and nervous system damage

RECOMMENDED USES:

STA'-PUT S203 All Purpose Aerosol Spray Cleaner is effective for removal of adhesives, grease, oil stains, road tar, rubber marks, and residue from decals, heel marks, graffiti, lipstick, release agents, and soap film. STA'-PUT S203 All Purpose Aerosol Spray Cleaner is safe for most plastics and vinyls. It is, however, recommended that cleaner be tested on all substrate material to determine compatibility and suitability for use.

ATTENTION:

- Empty container remains hazardous until all flammable vapors, which may explode upon ignition, are gone from residue and container. Observe all labeled hazard precautions. Do not cut, puncture, or weld while hazard exists.
- Do not reuse empty container. Recycle, or dispose of, according to all federal, state, and local regulations.
 Follow solvent manufacture's recommendations and instructions for safe handling.

KEEP OUT OF REACH OF CHILDREN
FOR PROFESSIONAL OR INDUSTRIAL USE ONLY
USE ONLY WITH APPROVED EQUIPMENT

NOTICE TO PURCHASER:

NO WARRANTIES, EXPRESS OR IMPLIED, ARE MADE INCLUDING MERCHANTABILITYAND/OR FITNESS FOR A PARTICULAR PURPOSE. EXCEPT FOR PERSONAL INJURY RESULTING FROM USE OF THE PRODUCT AS DIRECTED. ITW POLYMERS SEALANTS NORTH AMERICA. INC. SHALL NOT BE LIABLE IN TORT OR CONTRACT FOR ANY LOSS OR DAMAGE. UNDER NO CIRCUMSTANCES SHALL ITW POLYMERS SEALANTS NORTH AMERICA, INC., A DIVISION OF ILLINOIS TOOL WORKS INC., OR ITS AFFILIATES ("ITW POLYMERS SEALANTS NORTH AMERICA, INC.") BE LIABLE FOR ANY LOSS OR DAMAGE ARISING FROM THE PURCHASE, USE, OR INABILITY TO USE THIS PRODUCT, OR FOR ANY SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES. THE USER MAY SEND A SAMPLE OF PRODUCT TO ITW POLYMERS SEALANTS NORTH AMERICA, INC. FOR TESTING. IF SUCH TESTING PROVES A PRODUCT DEFECTIVE. THE USER'S SOLE AND EXCLUSIVE REMEDY IS EITHER REIMBURSEMENT OF THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE CONTAINER OF PRODUCT. NO FABRICATOR, INSTALLER, DEALER, AGENT OR EMPLOYEE OF ITW POLYMERS SEALANTS NORTH AMERICA. INC. HAS THE AUTHORITY TO MODIFY THE OBLIGATIONS OR LIMITATIONS OF THIS.

WARRANTY:

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE; THEREFORE, SOME OF THE LIMITATIONS STATED ABOVE MAY NOT APPLY TO YOU. IT IS TO YOUR BENEFIT TO SAVE YOUR DOCUMENTATION UPON PURCHASE OF A PRODUCT. THE INFORMATION AND SUGGESTIONS FOR USE CONTAINED HEREIN ARE BELIEVED TO BE ACCURATE, BUT ARE NOT TO BE CONSTRUED AS WARRANTIES. USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR HIS OR HER INTENDED USE AND SHALL ASSUME ALL RISK ASSOCIATED THEREWITH.

Complete technical information is available from ITW Polymers Sealants North America, Inc.

^{**} The shelf life for an unopened container of this adhesive stored at temperatures between 60°F (15.6°C) and 95°F (35°C) is 1 year from date of manufacture. Store out of direct sunlight in a cool, well-ventilated area. Avoid storing container directly on the floor or against an outside wall